


NAK has capability to manufacture rotary shaft seal, V-seal, rings, and other rubber molded parts up to 2,300 mm in O.D. from October 2011.



ISO-9001/14001
ISO/TS-16949
OHSAS-18001

NAK Large-diameter Sealing Solutions

World Class Brand World Class Manufacturing



NAK's new advances in specializing in Large Diameter Sealing Solutions

As a leading manufacturer of sealing products in Taiwan, NAK keeps improving efficiency and expanding capability to satisfy or even exceed requirements in different applications from customers.



This year, high tech machines and equipments including lathe, rubber vulcanizing machine and precision hot-air ovens for manufacturing large-diameter sealing products will be set up in the third quarter. These new equipments allow NAK to produce customized seal designs up to 90 inches in diameter (2.3 meters).



NAK Large Diameter Sealing Solutions include rotary shaft seal, V-seal, rings, and other rubber sealing products. Different elastomer compounds with special characteristics are available to meet or exceed requirements in different applications. For more details about NAK Large Diameter Sealing Solutions, please contact with us.



NAK has a strong and dedicated R&D team and offers technical consultation and support for mutual connection. Our extensive experience combined with the use of sophisticated technologies which enable us to accurately predict final product capabilities and performance.



NAK Large Diameter Sealing Solutions can operate in a wide range of speed, temperature and conditions to meet different requirements. They are produced in a variety of designs and materials to cater for different industrial applications such as wind turbines, heavy-duty presses, construction machinery, mining rigs, ship hydraulics, oil and water hydraulic presses, forging equipments, automotive stamping presses and so on.





Subsidiary map

Existing subsidiaries worldwide



Factory



Service office & warehouse



Taiwan (NAK Headquarters)

NAK SEALING TECHNOLOGIES CORPORATION
No.336, Industrial Road, Nankang Industrial Zone, Nantou
City 54065, Taiwan
TEL : 886-49-2255011
FAX : 886-49-2250035
E-mail : service@mail.nak.com.tw
www.nak.com.tw



China

KUNSHAN MAOSHUN SEALING PRODUCTS INDUSTRIAL CO., LTD.
No.271, Xingpu Road, Zhoushi Town, Kun Shan City,
Jiangsu Prov., China 215337
TEL : 86-512-57666240; 86-512-57665788
FAX : 86-512-57665827; 86-512-57664409
E-mail : sales@nak.com.cn
www.ksnak.com



Iran

KISH NAK OIL SEAL MFG. CO., LTD.
No.67, Eshghyar St. Khorramshahr Ave.,
Tehran 15339, Iran
TEL : 98-21-88761965
FAX : 98-21-88741319
E-mail : kishnak@parsonline.net



Thailand

NAK SEALING PRODUCTS(THAILAND) CO., LTD.
120/36 Moo 12 Soi 21/2 Kingkaew-Bangplee Road, Tumbul
Rachatewa, Ampur Bangplee Samutprakarn 10540, Thailand
TEL : 66-2-750-1988
FAX : 66-2-750-1868
E-mail : sales@mail.thainak.com



Russia

NAK INTERNATIONAL LTD.
Russia, Postal Index 143956, Moscow Region, Balashiha,
Mikroraion Nikolsko-Arhangelskiy, Vishnyakovskoe Shosse,
56, "NAK INTERNATIONAL LTD."
TEL : 7-495-545-94-00
FAX : 7-495-646-79-29
E-mail : info@naksealing.ru
www.naksealing.ru



India

NAK SEALING TECHNOLOGIES (INDIA) PRIVATE LIMITED
P-1, Phase II, Dr.Vikram Sarabhai Industrial Estate,
Thiruvanniyur, Chennai - 600 041, Tamilnadu, India.
TEL : 91-44-64586657; 91-44-64586661
FAX : 91-44-24540254
E-mail : marketing@nakindia.com



Brazil

NAK DO BRASIL INDUSTRIA E COMERCIO DE COMPONENTES DE VEDACAO LTDA
Rua Soldado Benedito Eliseo Dos Santos, NRO 10 CEP
02177-020, Sao Paulo S.P, Brazil
TEL : 55-11-3807-3001
FAX : 55-11-3807-3002
E-mail : nakbrasil@nakbrasil.com.br
comercial@nakbrasil.com.br



Australia

NAK TOTAL SEALING SOLUTIONS AUSTRALIA
Unit 1-17 Buttonwood Place,
Willawong QLD 4110, Australia
TEL : 617-3161-5210
FAX : 612-6674-2516
E-mail : sales@sealingtechnologies.net
www.naksealingtechnologies.com



Disclaimer

1. NAK products are not intended to be used, installed or applied in or on any aerospace related instruments and/or equipment. Any such use, installation, or application is prohibited and shall void all warranties.
2. NAK disclaims any and all express or implied warranties if the products :
 - 2.1 are modified or tampered with;
 - 2.2 are misused, abused or misapplied;
 - 2.3 are used in a critical environment or specific equipment without NAK's prior written consent;
 - 2.4 are not used in accordance with the printed user instruction materials; or
 - 2.5 are damaged due to natural deterioration, decomposition or transformation of chemical structure.
3. The products may be applied in critical environment or specific equipment only upon official confirmation of the sample by NAK's technical personnel and the passing of tests conducted by buyer.